

## AMAZZONIA FITOPREPARATI

**Strada degli Angariari, 25 - 47891 Rovereta (RSM)**

| Capsule/Compresse    | Capsules/Tablets   | Nome botanico/Botanical name         | Parti usate/Part used               | Estratto secco/Dry extract                   |
|----------------------|--------------------|--------------------------------------|-------------------------------------|--|
| Aglio                | Garlic             | Allium sativum, L.                   | bulbo/cloves                        | >= 1.0% allina                               |
| Adhatoa              | Adhatoa            | Adhatoa vasica, N.                   | foglia/leaf                         | > = 0.5% alcaloidi                           |
| Andrographis         | Andrographis       | Andrographis paniculata, W.          | pianta intera/whole plant           | >= 10,0% andrografolidi                      |
| Agnocasto            | Chaste tree berry  | Vitex agnus-castus, L.               | frutti/fruits                       | >= 0.5% agnuside                             |
| Amamelide            | Witch hazel        | Hamamelis virginiana, L.             | foglia/leaf                         | >= 10.0% tannini                             |
| Astragalo            | Astragalus         | Astragalus membranaceus, G.          | radice/root                         | >= 70.0% polisaccaridi                       |
| Ashwagandha          | Ashwagandha        | Withania somnifera, L.               | radice/root                         | >= 2.5% withanolidi                          |
| Artiglio del diavolo | Devil's claw       | Harpagophytum procumbens, DC         | rizoma/secondary storage roots      | >= 2,5% arpagosidi                           |
| Bardana              | Burdock            | Arctium lappa, L.                    | radice/root                         | >= 2.0% inulina                              |
| Biancospino          | Hawthorne          | Crataegus monogyna, J.               | sommità fiorite/flowers, leafs      | >= 1.8% vitexina 2R                          |
| Boswellia            | Boswellia          | Boswellia serrata , R.               | resina/gum exudate                  | >= 65.0% acido boswellico                    |
| Boswellia            | Boswellia          | Boswellia serrata , R.               | resina/gum exudate                  | >= 90.0% acido boswellico                    |
| Carciofo             | Artichoke          | Cynara scolymus, L.                  | foglia/leaf                         | >= 5.0% Acido clorogenico                    |
| Cardo mariano        | Milk thistle       | Silybum marianum, L.                 | frutti/fruits                       | >= 70.0% sili Marina                         |
| Centella             | Gota kola          | Centella asiatica, Urb.              | foglia/leaf                         | >= 20.0% derivati triterpenici totali        |
| Coleus               | Coleus             | Coleus forskolii                     | radice/root                         | >= 20% forskolina                            |
| Curcuma              | Tumeric            | Curcuma longa, L.                    | rizoma/secondary storage roots      | >= 95.0% curcumina                           |
| Eleuterococco        | Siberian ginseng   | Eleuterococcus senticosus, R&M       | rizoma/secondary storage roots      | >= 0.8% eleuteroside                         |
| Equiseto             | Horsetail          | Equisetum arvense, L.                | fronde sterili/sterile spring stems | >= 2.0-3.0% silicio                          |
| Escolzia             | California poppy   | Eschscholtzia californica, C         | pianta intera/whole plant           | >= 0.35% protopina                           |
| Finocchio            | Fennel             | Foeniculus vulgaris, L.              | frutti/fruits                       | polvere - olio essenziale                    |
| Fieno greco          | Fenugreek          | Foenum gracaeum, L.                  | frutti/fruits                       | E/D:1/4                                      |
| Fucus                | Bladderwrack       | Fucus vesiculosus, L.                | tallo/thallus                       | >= 0.10% iodio totale                        |
| Garcinia             | Garcinia           | Garcinia cambogia, G.                | frutti/fruits                       | >= 60.0% acido idrossicitrico                |
| Ginkgo               | Ginkgo             | Ginkgo biloba, L.                    | foglia/leaf                         | >= 24% ginkgoflavonoidi - 6% bilobalidi      |
| Ginseng              | Ginseng            | Panax ginseng, M.                    | rizoma/secondary storage roots      | >= 12.0% ginsenoside                         |
| Glucomannano         | Glucomannano       | Amorphophallus konjac, K.            | rizoma/secondary storage roots      | polvere/powder                               |
| Guaranà              | Guaranà            | Paullinia cupana, M                  | radice/root                         | >= 8.0% caffea                               |
| Gymnema              | Gymnema            | Gymnema sylvestre, R.                | foglia/leaf                         | >= 25.0% acido gymnemico                     |
| Luppolo              | Hops               | Humulus lupulus, L.                  | coni femminili/strobile             | >= 0.4% flavonoidi                           |
| Maca                 | Maca               | Lepidium meyenii, W.                 | tubero/root                         | E/D:1/4                                      |
| Maca                 | Maca               | Lepidium meyenii, W.                 | tubero/root                         | >= 0,6% macamidi                             |
| Maca                 | Maca               | Lepidium meyenii, W.                 | tubero/root                         | estratto idrosolubile/water soluble extract  |
| Mellilotto           | Yellow sweetclover | Melilotus officinalis, P             | sommità fiorite/flowers, leaf       | >= 17.0% cumarine                            |
| Melissa              | Lemon balm         | Melissa officinalis, L.              | sommità fiorite/flowers, leaf       | >= 4.0% acido rosmarinico                    |
| Ortosifon            | Orthosiphon        | Orthosiphon stamineus, B.            | foglia/leaf                         | >= 0.2% sinensetina                          |
| Ortica               | Nettle root        | Urtica dioica, L.                    | rizoma/secondary storage roots      | >= 0.4% betasitosteroli                      |
| Partenio             | Feverfew           | Tanacetum parthenium, S.B.           | foglia/leaf                         | >= 0.5% partenolide                          |
| Passiflora           | Passionflower      | Passiflora incarnata, L.             | foglia/leaf                         | >= 3.5% flavonoidi totali                    |
| Pilosella            | Mouseear Hawkweed  | Hieracium pilosella, L               | foglia/leaf                         | >= 1.0% vitexina                             |
| Pompelmo             | Grapefruit         | Citrus paradisi, Mac F.              | semi/seeds                          | >= 50% bioflavonoidi                         |
| Rabarbaro            | Rhubarb            | Rheum officinalis,                   | rizoma/secondary storage roots      | >= 1% derivati idrossiantocinosidi totali    |
| Rusco                | Butcher's broom    | Ruscus aculeatus, L.                 | rizoma/secondary storage roots      | >= 10.0% ruscofenina                         |
| Sabal                | Saw palmetto       | Serenoa repens, B.                   | frutti/fruits                       | >= 30.0 acidi grassi totali                  |
| Salice bianco        | Willow             | Salix alba, L.                       | corteccia/bark                      | >= 15.0% salicina                            |
| Schisandra           | Schisandra         | Schisandra chinensis (Turcz.) Baill. | frutti/fruits                       | >= 10% schisandrina                          |
| Spirulina            | Spirulina          | Spirulina maxima                     | alga/seaweed                        | polvere/powder                               |
| Suma                 | Brazilian ginseng  | Pfaffia paniculata, M.               | radice/root                         | polvere/powder                               |
| Tabebuja/Lapacho     | Pau d' arco        | Tecoma avellanedae, H.               | corteccia/bark                      | >= 3.0% naftochinoni totali                  |
| Tarassaco            | Dandelions         | Taraxacum officinalis, L.            | rizoma/secondary storage roots      | >= 2.0% inulina                              |
| Tè verde             | Green tea          | Camellia sinensis, M.                | foglia/leaf                         | 60% polifenoli/40% epigallocatechina gallato |
| Tribulus             | Tribulus           | Tribulus terrestris, L.              | pianta intera/whole plant           | >= 40.0% saponine steroidiche                |
| Tribulus             | Tribulus           | Tribulus terrestris, L.              | pianta intera/whole plant           | 20% protodioscina                            |
| Uva ursina           | Uva ursi           | Arctostaphylos uva-ursi,S.           | foglia/leaf                         | >= 20.0% arbutina                            |
| Valeriana            | Valerian           | Valeriana officinalis, L.            | radice/root                         | >= 0.80% acidi valerenici totali             |
| Zenzero              | Ginger             | Zingiber officinalis, R.             | rizoma/secondary storage roots      | >= 5.0 gingeroli                             |

This is a non-exhaustive list of our materials - For further information, go to the "Contact us" page.

Lista prodotti non esaustiva per ulteriori prodotti disponibili vi preghiamo di contattarci